

8814
003
888919
less 01

One aspect of the site involves a rounded, smooth, light colored object that has angles and oblongs and squares and flats, with an interior and exterior and involves moving and turning. There is a further sense of being enclosed and stuffy. There is a hill or mountain or bluff nearby. There is an impression of something large and rounded with a circumference, turning freely as if mounted on gimbals or bearings. There are roller shapes and a humming sound "like" servo motors. Machinery is involved. "Target Object 'L'" involves angular components, edges, plus rounded portions and is very complex. It includes a housing as an exterior, which functions as external shielding protecting interior--reminds me of the glass case enclosing the electric utility meter on the back of a house. The casing or cover--or at least portions of it--can be removed for access. Exterior of the object is exposed to the elements but critical components need protection and cannot be exposed to moisture, dust, etc. The setting is non-populated in the immediate vicinity. Low vegetation and a telephone/power line are present; there is a fair amount of up-and-down terrain relief. There are heterogenous structures nearby that are arranged at various angles to each other. Surroundings remind me of terrain around Mel's site. There is a tall, vertical structure nearby with "spidery" construction, thin, and perhaps red. Reminds me of an antenna or umbilical tower. It has to do with centralized communications, "dedicated circuit," and is somehow affiliated with electronic things, "like" telemetry. There is an associated structure that is spacious inside, lighted, clean, quiet, with a hard, shiny floor. Target object has louvers connected with it, venting, exhausting something which has a noxious, yucky, nauseous quality about it. There is a sense of sealing in--controlled atmosphere with inert gasses protecting intricate parts involving precise operation. Spinning. Intricately balanced (A/S of gyroscope). May have to do with power generation of concentration/conversion. Reminds me of something that has precise, intricate gearing sealed in a nitrogen atmosphere to avoid contaminants and friction.

Object is off by itself--i.e., removed from immediate vicinity of other structures. But exterior doesn't reflect precisely on interior--outside form doesn't precisely correspond to internal functioning and structure. Shape of outside is designed somewhat not to give away what's on inside, though there are limitations as to how far this can go. Internal functioning must take place in isolation, outside other structures but must be protected from elements.

Paul
19 Sep 88
Ft. Meade, MD
Galsi
1040

879176

206371



A. Wood flint
has

B. bar

H. down
under

flint

B. under

H. up part
down
solid

B. bar

A. wood
wood
wood
solid


B. structure



S2


green
green
wood
wood
brown
dusky swell
white
brown
manila


lumpy
grooved
round
solid
small
enclosed

#1 Ble
stuffed, hemmed in









SIV

6

S2

D

A I

E I

T

I

As L

#1-

round

Smooth
light
color

moving
turning
angle
oblong
squares
flat
interior
exterior

AI Bk
chills

reddish
brown
white
crusty

Structure

within

Structure

Als hill ~ mountain ~ bluff nearby

S+1/2 impression of something large + rounded w/d circumference family
fused as it occurred on gyrfalcons or hawks.

S2

D

A2

F2

I

I

AL

AL

other
shapes

humming
song

"like
servo
motors

machines

target object
"L" (C)

angular
edges
round
complex

housing

position
outside

7/2 external shielding protecting interior remains w/ glass
case over electric meter on back of house. Cover or cone
that can be removed for access. Exterior is
opposed to elements but critical elements need protection
& cannot be exposed to moisture, dust, etc.

5/2 setting is non-populated immediate vicinity. Low
vegetation. Telephone poles down - favorable
relief. Structures nearby.



SVL

8

HLJ

very close
to NV
test site

vertical

Spurter

"like"
antenna
unstable
power

(g)

red

thin,
tall
spidery


lights



common
circuit
dedicated
circuit

electronic

"like"
telemetry



S2

D

A2

F2

T

I

102

AL

SVI

9

inside

5 trunks

7 pairs

13 trunks
clean
quiet
hand

floor

shiny

T64 06, L (C)

laurel ~~can~~

curving

Vantag

A2 Bk
some chicks
nervous

cebrant

A1 B

very
nervous

32

ved

runded

Selz sense of seals in controlled atmosphere inert
gases moving intricate parts precise operation required
spinning

Nitrogen
Oxygen
Inert
Start
Nuclei
Wegman
exp.
I 1800
Invent

intricate
balanced


like
gyroscopic

Selz may have something to do w/ power generation or conservation

His remarks are of something that has precise intricate gears
sealed in a nitrogen atmosphere to avoid contaminants &
friction.

Selz object is off by itself - i.e. removed from
immediate vicinity of other structures. But exterior
precisely reflect precisely on interior - outside form does it
precisely because of internal functioning & structure.
Shape of outside is designed somewhat not to give away
what's on inside, though there are limitations as to

Approved For Release 2000/08/08 : CIA-RDP96-00789R000400570001-5
place in isolation, outside other structure but must be
protected from elements.



52 .

Approved For Release 2000/08/08 : CIA-RDP96-00789R000400570001-5

SVI

11

AZ

EZ

7

E

SL

HLs

bride

1110


~~SECRET~~/NOFORN

PROJECT SUN STREAK

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

| | |
|-------------------------|------------------------|
| PROJECT NUMBER: 8814 | SESSION NUMBER: 1 |
| DATE OF SESSION: 880919 | DATE OF REPORT: 880922 |
| START: 1040 | END: 1110 |
| METHODOLOGY: CRV | VIEWER IDENTIFIER: 003 |

SG1A

2. (S/NF/SK) VIEWER TASKING: Encrypted coordinates
879176/206371. The cue "target object L" refers a 

SG1A

3. (S/NF/SK) COMMENTS: Good first dump. 003 is on site,
refinements will be accomplished next session.

4. (S/NF/SK) EVALUATION:

HANDLE VIA SKEET CHANNELS ONLY
SPECIAL ACCESS REQUIRED

~~SECRET~~/NOFORN

CLASSIFIED BY: DIA (DT)
DECLASSIFY ON: OADR